


# 2013 SUPER DUTY® CHASSIS CAB



Specifications

# SUPER DUTY CHASSIS CAB Specifications | Standard Features

## F-350

### Maximum Capabilities<sup>1</sup>

5th-Wheel Towing: 16,700 lbs.

Conventional Towing: 15,000 lbs.

Payload: 7,879 lbs.

GCWR: 24,500 lbs.

GVWR: 14,000 lbs.

Front GAWR: 5,250 lbs. (4x2); 6,000 lbs. (4x4)

### Equipment Configurations

Engines: 6.2L Gas V8 Flex Fuel E85-capable

6.7L Power Stroke® V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 • Single Rear Wheel or Dual Rear Wheel

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

## F-450

### Maximum Capabilities<sup>1</sup>

5th-Wheel Towing: 21,600 lbs.

Conventional Towing: 16,000 lbs.

Payload: 9,951 lbs.

GCWR: 30,000 lbs.

GVWR: 16,500 lbs.

Front GAWR: 7,000 lbs.

### Equipment Configurations

Engines: 6.8L Triton® Gas V10

6.7L Power Stroke V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 • Dual Rear Wheel Only

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

## F-550

### Maximum Capabilities<sup>1</sup>

5th-Wheel Towing: 26,600 lbs.

Conventional Towing: 16,000 lbs.

Payload: 12,666 lbs.

GCWR: 35,000 lbs.

GVWR: 19,500 lbs.

Front GAWR: 7,000 lbs.

### Equipment Configurations

Engines: 6.8L Triton Gas V10

6.7L Power Stroke V8 Turbo Diesel B20-capable

Drivelines: 4x2 or 4x4 • Dual Rear Wheel Only

Bodies: Regular Cab, SuperCab, Crew Cab

Trim Series: XL, XLT, LARIAT

### Mechanical

Gas engine tune-up interval: 97,500 miles<sup>2</sup>

Diesel engine service intervals as indicated in message center: oil 10,000 miles; fuel filter 22,500 miles; coolant 15,000 miles or 600 hours, whichever comes first

Auxiliary rear springs

Battery saver

Engine-only traction control (EOTC) (DRW only)

Fail-Safe Engine Cooling System (gas engines)

Fuel tank – 28-gallon mid-ship (SRW)

Fuel tank – 40-gallon aft-of-axle (DRW)

Hill start assist (SRW only)

Power steering

Stabilizer bars – Front and rear

Stainless steel exhaust system (major components)

Stationary elevated idle control (SEIC)<sup>3</sup>

Steering damper

Trailer sway control (SRW only)

Trailer tow prep includes 7-wire harness (blunt cut) with relays

### Interior

Air conditioning

Assist and ride handles

Coat hooks – 1 (Regular Cab); 2 in rear of cab (SuperCab and Crew Cab)

Dome light (front and rear with Crew Cab)

Overhead console with garage door opener storage and sunglasses storage (SuperCab and Crew Cab)

Powerpoints – 12-volt, 2 on instrument panel

Upfitter switches – 4 on instrument panel

Windows – Flip-open rear quarter (SuperCab)

## OPTIONAL PACKAGES

### 16,000-lb. GVWR Package (F-450 only)

**Ambulance Prep Package** (Fleet only) includes dual alternators (combined 357 amps), standard-width rear axle with F-350 SRW, and wide-track limited-slip rear axle with F-350 DRW and operator-commanded exhaust filter regeneration (6.7L diesel engine only; restrictions apply)

**CNG/LPG Gaseous Engine Prep Package** includes hardened engine intake valves and valve seats and bi-fuel manifold (F-350 with 6.2L gas engine only)

**CNG/LPG Gaseous Engine Prep Package** includes hardened engine intake valves and valve seats (F-450/F-550 with 6.8L gas engine only)

**Extra-Heavy-Service Front Suspension Package** includes 2-up front springs upgrade (unless maximum springs have been computer selected as included equipment; restrictions apply)

**Heavy-Service Front Suspension Package** includes 1-up front springs upgrade (unless maximum springs have been computer selected as included equipment; restrictions apply)

**High-Capacity Trailer Tow Package** (F-450/F-550 only) includes 30,000-lb. GCWR for F-450 and 35,000-lb. GCWR for F-550 and upgraded rear-axle gear set (trailer brake controller not included; requires diesel engine)

## PICKUP BOX DELETE

Available on F-250 and F-350 Pickups with any 8' box wheelbase. Includes 2½" trailer hitch receiver (for the maximum conventional trailer tow ratings of the vehicle, look for the similar configuration with pickup box in the RV & Trailer Tow Guide). Deletes pickup box, tie-down hooks, bodyside moldings, rear bumper, spare wheel, tire, carrier and jack.

### Exterior

Dual-beam jewel-effect headlamps

Intelligent 3-blink turn signal

Roof clearance lamps

Tow hooks – Black, 2 in front

Underhood service lamp

Windshield wipers – Intermittent

### Safety & Security

AdvanceTrac® with RSC® (Roll Stability Control™) (SRW only)

Airbags<sup>4</sup> – Driver and right-front-passenger front

Airbags<sup>4</sup> – Front-seat side

Airbags<sup>4</sup> – Safety Canopy® System with side-curtain airbags<sup>4</sup> for all rows and rollover sensor

Belt-Minder® front safety belt reminder

Brake/shift interlock

Brakes – 4-wheel power disc with Anti-Lock Brake System (ABS)

Child-safety-seat top tether anchors (Regular Cab front passenger and all rear-seat positions)

Fuel pump inertia shutoff switch

Headlamps-on, key-in-ignition and door ajar alert chimes

Passenger airbag deactivation switch (Regular Cab, SuperCab)

Safety belts – Energy-management retractors at front-outboard positions

Safety belts – Height-adjustable safety belts at front-outboard positions

Side-intrusion door beams

SOS Post-Crash Alert System™

**Low Deflection Package** (F-450/F-550 only) includes 2" spacer blocks; recommended for rear-biased loading (not available on 141" WB)

**Payload Downgrade Package** (F-350 SRW/F-450/F-550 only) includes a 9,800-lb. GVWR rating for F-350 SRW, a 15,000-lb. GVWR rating for F-450 and a 17,500-lb. GVWR rating for F-550 (required on F-350 SRW with 17" wheels)

**Payload Upgrade Package** (F-550 with 141" WB, 6.8L gas engine and 4.88 LS axle only) increases GVWR to 19,000 lbs. and includes upgraded frame and rear axle

**Payload Plus Upgrade Package** (F-550 with 4.88 LS axle only) increases GVWR to 19,500 lbs. and includes upgraded frame, rear axle and springs (restrictions apply)

**Snow Plow Prep Package** includes computer-selected springs for snow plow application and extra-heavy-duty alternator with diesel engine only (restrictions apply)

**Trailer Tow Package** includes aftermarket trailer brake wiring kit (trailer brake controller not included; restrictions apply)

<sup>1</sup>When properly equipped. <sup>2</sup>Under normal driving conditions with routine fluid and filter changes. <sup>3</sup>Final-stage manufacturer must supply control switches.

<sup>4</sup>Always wear your safety belt and follow airbag warning label instructions. Passenger airbag may be deleted.

Comparisons based on 2012/2013 competitive models (Class 3–5 Conventional Chassis Cabs), publicly available information and Ford certification data at time of release. Some features discussed may be optional. Vehicles shown may contain optional and aftermarket upfit equipment. Features shown may be offered only in combination with other options or subject to additional ordering requirements or limitations. Dimensions and capability ratings shown may vary due to optional features and/or production variability. Following release of the PDF, certain changes in standard equipment, options and the like, or product delays may have occurred which would not be included in these pages. Your Ford Dealer is the best source for up-to-date information. Ford Division reserves the right to change product specifications at any time without incurring obligations. Body manufacturers are responsible for compliance certification of the completed vehicle. The Ford New Vehicle Limited Warranty and any government certification made by Ford shall cover only the vehicle as manufactured by Ford and shall not extend to any addition, modification or change of or to the vehicle by the Ford Authorized Pool Account.



# SUPER DUTY CHASSIS CAB Specifications | Standard Features



## XL

Includes all standard features, plus:

### Mechanical

6.2L SOHC 2-valve Gas V8 Flex Fuel E85-capable engine (F-350)
6.8L Triton® SOHC 3-valve Gas V10 engine (F-450/F-550)
TorqShift® Heavy-Duty 6-speed SelectShift Automatic® transmission (F-350)
TorqShift 5-speed automatic transmission (F-450/F-550)
Alternator – 157-amp heavy-duty (F-350)
Alternator – 175-amp heavy-duty (F-450/F-550)
Manual 4-Wheel-Drive System with manual locking hubs (4x4 models only)
17" argent-painted steel wheels (F-350)
19.5" argent-painted steel wheels (F-450/F-550)
LT245/75R17 all-season BSW tires (F-350)
225/70R19.5G all-season BSW tires (F-450/F-550)

### Seating

HD vinyl 40/20/40 split front seat with center armrest, dual cupholders and storage
60/40 split flip-up rear bench seat (SuperCab only)
60/40 split flip-up/fold-down rear bench seat with outboard and center head restraints (Crew Cab only)
Manual lumbar support for driver's seat

### Interior

AM/FM stereo with digital clock and 2 speakers
Climate controls – Manual
Door locks – Manual
Flooring – Black vinyl
Message center – Multifunction with trip computer includes odometer, trip odometer, engine-hour meter, distance to empty, average fuel economy, oil-life monitor, warning messages, system check, language selection and Ice Blue® Lighting
Mirror – Manual day/night rearview
Steering column – Manual-tilt/-telescoping
Steering wheel – Black urethane with 3-button message center control
Visors with passenger mirror
Window – Rear, fixed
Windows – Manual

### Exterior

Bumper – Black-painted front with grained top cover
Door handles – Black
Glass – Solar-tinted
Grille – Black bar-style
Mirrors – Manually telescoping trailer tow with 2-way fold and manual glass



## XLT

Includes select XL features, plus:

### Mechanical

Integrated trailer brake controller
17" 6-spoke cast-aluminum wheels (F-350 SRW)

### Seating

4-way adjustable driver and right-front-passenger head restraints
40/20/40 split front seat with center under-seat lockable storage with 12-volt powerpoint, and center armrest with dual cupholders and storage
60/40 split flip-up/fold-down rear bench seat with bag hooks; dual integrated cupholders and tray; outboard head restraints; center head restraint; and under-seat partitioned, lockable storage with 12-volt powerpoint (Crew Cab only)

### Interior

AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers and auxiliary audio input jack
Ford SYNC® voice-activated, in-vehicle connectivity system with AppLink™
Accessory delay for power features
Cruise control
Door locks – Power
Flooring – Color-coordinated carpet
Flooring – Color-coordinated carpeted floor mats
MyKey®
Visors with covered driver and passenger mirrors
Windows – Power with front one-touch-down feature

### Exterior

Anti-theft perimeter alarm
Bumper – Chrome front with grained top cover
Glass – Privacy (rear doors and rear windows)
Grille – Chrome bar-style
Mirrors – Manually telescoping trailer tow with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
Remote Keyless Entry System with 2 integrated keyhead transmitter remotes
SecuriLock® Passive Anti-Theft System



## LARIAT

Includes select XLT features, plus:

### Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (F-450/F-550)
TorqShift Heavy-Duty 6-speed SelectShift Automatic transmission (F-450/F-550)
Alternator – 200-amp extra-heavy-duty
Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only)
18" bright-machined cast-aluminum wheels (F-350 SRW)
17" polished forged-aluminum wheels (F-350 DRW)
19.5" polished forged-aluminum wheels (F-450/F-550)
LT275/65R18 all-season BSW tires (F-350 SRW)

### Seating

Premium leather-trimmed 40/console/40 front bucket seats and flow-through center console with lockable storage, two 12-volt powerpoints and a 110-volt power outlet
Power 10-way driver and front-passenger seats

### Interior

Premium Sound System includes AM/FM stereo/single-CD player with MP3 capability, digital clock and 8 speakers with subwoofer (SuperCab)
Premium Audio System from Sony® includes AM/FM stereo/single-CD player with MP3 capability, digital clock and 8 speakers with subwoofer (Crew Cab)
SYNC with MyFord Touch® includes an 8" color LCD touch screen in center stack; dash-top closable storage with media hub (2 USB ports, SD card reader, audio/video input jacks, and 12-volt powerpoint); and SYNC Services
SiriusXM Satellite Radio with 6-month trial subscription
Autolock/unlock
Dual-zone electronic automatic temperature control
Message center – Driver-configurable enhanced information center with 4.2" LCD productivity screen includes gauge setup, trip computer, fuel economy and towing/off-road applications, SelectShift controls, halo lighting, and daytime illumination
Mirror – Auto-dimming rearview with compass
Power-adjustable pedals
Power outlet – 110-volt on instrument panel
Steering wheel – Color-coordinated leather-wrapped with 5-button message center control and secondary audio controls
Visors with illuminated driver and passenger mirrors
Window – Rear, power-sliding with privacy glass and defrost
Woodgrain-style instrument panel accents

### Exterior

Autolamp with rainlamp feature
Door handles – Body-color
Fog lamps
Mirrors – PowerScope® power-telescoping/-folding trailer tow with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
SecuriCode™ keyless entry keypad

Sony is a registered trademark of the Sony Corporation. SiriusXM Satellite Radio, Traffic and Travel Link subscriptions sold separately or as a package after trial expires. SiriusXM Traffic and Travel Link service available in select markets. See SiriusXM Customer Agreement for complete terms at [www.siriusxm.com](http://www.siriusxm.com). Sirius satellite service available in the 48 contiguous United States, DC, and PR. Sirius, XM and all related marks and logos are trademarks of Sirius XM Radio Inc. HD Radio is a proprietary trademark of iBiquity Digital Corp.

2013 SUPER DUTY®  
CHASSIS CAB  
ford.com





## XL

### Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine
Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only; n/a with 6.8L Triton® V10 gas engine)
Alternator – 200-amp extra-heavy-duty (6.2L gas or 6.7L diesel engines only)
Alternators – Dual with 357-amp total (diesel engine only)
Engine block heater (standard in 15 cold-weather states)
Fuel tank – 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)
Fuel tank – Dual tanks (40-gallon aft-of-axle and 28-gallon midship; DRW diesel engine only; restrictions apply)
Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)
Integrated trailer brake controller
Operator-commanded exhaust filter regeneration (6.7L diesel engine only)
Power take-off (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live-drive and stationary modes with diesel engine only)
Rear axle – Electronic-locking (F-350 SRW only)
Rear axle – Limited-slip (DRW only)
Spare tire/wheel/jack
17" 6-spoke cast-aluminum wheels (F-350 SRW)
17" polished forged-aluminum wheels (F-350 DRW)
Stainless steel wheel covers (DRW only; requires 17" or 19.5" argent-painted steel wheels) <sup>1</sup>
18" argent-painted steel wheels – 4 (F-350 SRW)
LT245/75R17 all-terrain BSW tires – 6 (F-350 DRW)
LT275/65R18 all-season BSW tires – 4 (F-350 SRW)
LT275/70R18E all-terrain BSW tires – 4 (F-350 SRW 4x4 only)
225/70Rx19.5G BSW traction tires – 2 all-season tires and 4 traction tires (F-450/F-550)
225/70Rx19.5G max traction BSW tires – 6 (F-450/F-550 4x4 only)

### Seating

40/mini-console/40 front bucket seats (HD vinyl or cloth)
Cloth 40/20/40 split front seat

### Interior

AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers and auxiliary audio input jack (F-450 only)
Ford SYNC® voice-activated, in-vehicle connectivity system with AppLink™ (requires XL Value Package and steering wheel-mounted audio controls)
Radio delete (Fleet only)
Air conditioning delete (Fleet only)
Cruise control (Fleet only)
Rapid-heat supplemental cab heater (requires diesel engine and dual alternators)
Steering wheel-mounted audio controls (requires SYNC)
Window – Rear, manual-sliding with privacy glass (Fleet only)

### Exterior

Cab steps – 6" angular black molded
Crew Chief™ powered by Telogis® <sup>1</sup> – Fleet tracking system (includes 1 year of Crew Chief service)
Daytime running lamps (Fleet only)
Exterior back-up alarm <sup>1</sup>
Remote Start System (requires Power Equipment Group)
Splash guards/mud flaps (F-350 only; front only)
Transfer case skid plate (4x4 SuperCab and Crew Cab only)

### Packages

**Power Equipment Group** includes power door locks and front windows (plus rear on Crew Cab) with one-touch-down front window feature; manually telescoping trailer tow mirrors with 2-way fold, power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals; accessory delay; Remote Keyless Entry System with 2 integrated keyhead transmitter remotes; MyKey®; SecurILock® Passive Anti-Theft System; and perimeter anti-theft alarm

**XL Décor Group** includes chrome front bumper with grained top cover, and bright hub covers and center ornaments (hub covers and center ornaments included with SRW only)

**XL Value Package** includes AM/FM stereo/single-CD player with MP3 capability, digital clock, 4 speakers and auxiliary audio input jack; cruise control; chrome front bumper with grained top cover; and bright hub covers and center ornaments (hub covers and center ornaments included with SRW only)

See **Optional Packages** on Standard Features page for content of the following packages:

<b>16,000-lb. GVWR Package</b> (F-450 only)
<b>Ambulance Prep Package</b> (Fleet only)
<b>CNG/LPG Gaseous Engine Prep Package</b> (gas engines only)
<b>Extra-Heavy-Service Front Suspension Package</b>
<b>Heavy-Service Front Suspension Package</b>
<b>High-Capacity Trailer Tow Package</b> (F-450/F-550 only)
<b>Low Deflection Package</b> (F-450/F-550 only)
<b>Payload Downgrade Package</b> (F-350 SRW/F-450/F-550 only)
<b>Payload Upgrade Package</b> (F-550 with 141" WB and 6.8L gas engine only)
<b>Payload Plus Upgrade Package</b> (F-550 only)
<b>Snow Plow Prep Package</b> (restrictions apply)
<b>Trailer Tow Package</b>

<sup>1</sup>Ford Licensed Accessory. See your dealer for limited warranty details.





## XLT

### Mechanical

6.7L Power Stroke® V8 Turbo Diesel B20-capable engine
Electronic shift-on-the-fly (ESOF) 4-Wheel-Drive System with auto/manual locking hubs (4x4 models only; n/a with 6.8L Triton® V10 gas engine)
Alternator – 200-amp extra-heavy-duty (6.2L gas or 6.7L diesel engines only)
Alternators – Dual with 357-amp total (diesel engine only)
Engine block heater (standard in 15 cold-weather states)
Fuel tank – 28-gallon midship (n/a w/189" WB Regular Cab or 200" WB Crew Cab with gas engines)
Fuel tank – Dual tanks (40-gallon aft-of-axle and 28-gallon midship; DRW diesel engine only)
Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)
Operator-commanded exhaust filter regeneration (6.7L diesel engine only)
Power take-off (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live-drive and stationary modes with diesel engine only)
Rear axle – Electronic-locking (F-350 SRW only)
Rear axle – Limited-slip (DRW only)
Spare tire/wheel/jack
17" argent-painted steel wheels (F-350 SRW; Fleet only)
17" polished forged-aluminum wheels (F-350 DRW)
18" cast-aluminum wheels (F-350 SRW)
19.5" polished forged-aluminum wheels (F-450/F-550)
Stainless steel wheel covers (DRW only; requires 17" or 19.5" argent-painted steel wheels) <sup>1</sup>
LT245/75R17 all-terrain BSW tires – 6 (F-350 DRW)
LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)
LT275/65R18 all-season BSW tires – 4 (F-350 SRW)
LT275/70R18 all-terrain BSW tires – 4 (F-350 SRW 4x4)
LT275/70R18 all-terrain OWL tires – 4 (F-350 SRW 4x4)
225/70Rx19.5G BSW traction tires – 2 all-season tires and 4 traction tires (F-450/F-550)
225/70Rx19.5G max traction BSW tires – 6 (F-450/F-550 4x4 only)

### Seating

Cloth 40/console/40 front bucket seats with 6-way power driver's seat and flow-through console with lockable storage, two 12-volt powerpoints and a 110-volt power outlet (SuperCab and Crew Cab only)

### Interior

SiriusXM Satellite Radio with 6-month trial subscription
Flooring – All-weather floor mats
Flooring – Carpet delete (Fleet only)
Power-adjustable pedals (included in the XLT Interior Package; Fleet only option)
Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade)
Window – Rear, manual-sliding with privacy glass (Regular Cab only)
Window – Rear, power-sliding with privacy glass and defroster (SuperCab and Crew Cab only)

### Exterior

Cab steps – 6" angular black molded
Crew Chief™ powered by Telogis® <sup>1</sup> – Fleet tracking system (includes 1 year of Crew Chief service)
Daytime running lamps (Fleet only)
Exterior back-up alarm <sup>1</sup>
Mirrors – PowerScope® power-telescoping/-folding trailer tow with power/heated glass, heated manual spotter mirrors, and integrated clearance lamps and turn signals
Remote Start System
Splash guards/mud flaps (F-350 only; front only)
Transfer case skid plate (4x4 SuperCab and Crew Cab only)

### Packages

**XLT Interior Package** includes 6-way power driver's seat, power-adjustable pedals, autolamp with rainlamp feature, autolock/unlock and SecuriCode™ keyless entry keypad

See **Optional Packages** on Standard Features page for content of the following packages:

<b>16,000-lb. GVWR Package</b> (F-450 only)
<b>Ambulance Prep Package</b> (Fleet only)
<b>CNG/LPG Gaseous Engine Prep Package</b> (gas engines only)
<b>Extra-Heavy-Service Front Suspension Package</b>
<b>Heavy-Service Front Suspension Package</b>
<b>High-Capacity Trailer Tow Package</b> (F-450/F-550 only)
<b>Low Deflection Package</b> (F-450/F-550 only)
<b>Payload Downgrade Package</b> (F-350 SRW/F-450/F-550 only)
<b>Payload Upgrade Package</b> (F-550 with 141" WB and 6.8L gas engine only)
<b>Payload Plus Upgrade Package</b> (F-550 only)
<b>Snow Plow Prep Package</b> (restrictions apply)

<sup>1</sup>Ford Licensed Accessory. See your dealer for limited warranty details.





## LARIAT

### Mechanical

- 6.7L Power Stroke® V8 Turbo Diesel B20-capable engine (F-350 only)

---

- Alternators – Dual with 357-amp total (diesel engine only)

---

- Engine block heater (standard in 15 cold-weather states)

---

- Fuel tank – 28-gallon midship (n/a with 200" WB Crew Cab with gas engines)

---

- Hydraulic jack (2-ton for F-350 SRW; 4-ton for F-350 DRW; 6-ton for F-450/F-550)

---

- Power take-off (PTO) provision (6.8L gas and 6.7L diesel engines only; includes transmission-mounted live-drive and stationary modes with diesel engine only)

---

- Rear axle – Electronic-locking (F-350 SRW only)

---

- Rear axle – Limited-slip (DRW only)

---

- Spare tire/wheel/jack

---

- LT245/75R17 all-terrain BSW tires – 6 (F-350 DRW)

---

- LT245/75R17 all-terrain OWL tires – 4 (F-350 DRW)

---

- LT275/70R18 all-terrain BSW tires – 4 (F-350 SRW 4x4)

---

- LT275/70R18 all-terrain OWL tires – 4 (F-350 SRW 4x4)

---

- 225/70R19.5G BSW traction tires – 2 all-season tires and 4 traction tires (F-450/F-550)

---

- 225/70R19.5G max traction BSW tires – 6 (F-450/F-550 4x4 only)

### Seating

- Premium leather-trimmed 40/20/40 split front seat with center under-seat lockable storage with 12-volt powerpoint, and center armrest with cupholders and storage

---

- Heated rear outboard seats (Crew Cab only; requires LARIAT Interior Package)

### Interior

- Flooring – All-weather floor mats

---

- Navigation System with HD Radio™ Technology and SiriusXM Traffic and Travel Link with 6-month trial subscription

---

- Rapid-heat supplemental cab heater (requires diesel engine and alternator upgrade)

### Exterior

- Cab steps – 6" angular black molded

---

- Crew Chief™ powered by Telogis®1 – Fleet tracking system (includes 1 year of Crew Chief service)

---

- Exterior back-up alarm<sup>1</sup>

---

- Remote Start System

---

- Splash guards/mud flaps (F-350 only; front only)

---

- Transfer case skid plate (4x4 only)

### Packages

**LARIAT Interior Package** includes power, heated/cooled driver's seat with easy entry/exit memory feature; power, heated/cooled passenger seat; memory PowerScope® trailer tow mirrors; memory, power-adjustable pedals; and Remote Start System

See **Optional Packages** on Standard Features page for content of the following packages:

- 16,000-lb. GVWR Package** (F-450 only)

---

- CNG/LPG Gaseous Engine Prep Package** (F-350 with 6.2L gas engine only)

---

- Extra-Heavy-Service Front Suspension Package**

---

- Heavy-Service Front Suspension Package**

---

- High-Capacity Trailer Tow Package** (F-450/F-550 only)

---

- Low Deflection Package** (F-450/F-550 only)

---

- Payload Downgrade Package** (F-350 SRW/F-450/F-550)

---

- Payload Plus Upgrade Package** (F-550 only)

---

- Snow Plow Prep Package** (restrictions apply)

<sup>1</sup>Ford Licensed Accessory. See your dealer for limited warranty details.



# SUPER DUTY CHASSIS CAB Specifications | Optional Features

## XL/XLT



Argent-Painted Steel  
17" Standard on F-350 SRW XL;  
Optional on F-350 SRW XLT (Fleet only)  
18" Optional on F-350 SRW XL



17" Argent-Painted Steel  
Standard on F-350 DRW XL & XLT



19.5" Argent-Painted Steel  
Standard on F-450/F-550 DRW XL & XLT



17" 6-Spoke Cast-Aluminum  
Optional on F-350 SRW XL  
Standard on F-350 SRW XLT



17" Argent-Painted Steel  
with Stainless Steel Covers  
Optional on F-350 DRW XL & XLT



19.5" Argent-Painted Steel  
with Stainless Steel Covers  
Optional on F-450/F-550 XL & XLT



18" Cast-Aluminum  
Optional on F-350 SRW XLT



17" Polished Forged-Aluminum  
Optional on F-350 DRW XL & XLT



19.5" Polished Forged-Aluminum  
Optional on F-450/F-550 DRW XLT

## LARIAT



17" Polished Forged-Aluminum  
Standard on F-350 DRW



18" Bright-Machined Cast-Aluminum  
Standard on F-350 SRW



19.5" Polished Forged-Aluminum  
Standard on F-450/F-550 DRW




Regular Cab




SuperCab



Crew Cab



40/20/40  
split front seat



40/mini-console/40  
front bucket seats



40/console/40  
front bucket seats

XL	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
XLT	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>	<input type="radio"/>	<input type="radio"/>
LARIAT	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="radio"/>

● Standard ○ Optional



**XL/XLT/LARIAT**



**Exteriors**

**Interiors**

	XL	XLT	LARIAT
A White Platinum Metallic Tri-coat <sup>1</sup>			4, 5
B Oxford White	1, 3	2, 3	4, 5
C Ingot Silver Metallic	1, 3	3	5
D Sterling Gray Metallic	1, 3	3	5
E Pale Adobe Metallic <sup>2</sup>	1, 3	2	4, 5
F Kodiak Brown Metallic <sup>3</sup>		2	4, 5
G Vermillion Red	1, 3	2, 3	4, 5
H Ruby Red Metallic Tinted Clearcoat <sup>1,3</sup>		2	4, 5
I Autumn Red Metallic <sup>4</sup>		2	4, 5
J Blue Jeans Metallic <sup>3</sup>	1, 3	2, 3	4, 5
K Green Gem Metallic	1, 3	2, 3	4, 5
L Tuxedo Black Metallic	1, 3	2, 3	4, 5

<sup>1</sup>Additional charge. <sup>2</sup>Restrictions apply. <sup>3</sup>New for 2013. <sup>4</sup>Limited availability. Colors are representative only. See your dealer for actual paint/trim options.





# TECHNICAL SPECIFICATIONS

## 5TH-WHEEL TOWING — MAXIMUM LOADED TRAILER WEIGHT RATINGS (lbs.)<sup>1</sup>

Automatic Transmission										
Engine	Axle Ratio	GCWR	F-350 SRW 4x2	F-350 DRW 4x2	F-350 SRW 4x4	F-350 DRW 4x4	F-450 DRW 4x2	F-450 DRW 4x4	F-550 DRW 4x2	F-550 DRW 4x4
<b>Regular Cab</b>										
6.2L 2-valve Gas V8 FFV	3.73	19,000	12,400	—	12,100	—	—	—	—	—
	4.30	19,500	—	12,400	—	12,000	—	—	—	—
6.8L 3-valve Gas V10	4.88	22,000	15,400	—	15,100	—	—	—	—	—
		22,500	—	15,400	—	15,000	—	—	—	—
6.7L Diesel V8	3.73	26,000	—	—	—	—	18,300	18,000	18,300	18,000
	4.10	23,500	16,200	—	15,600	—	—	—	—	—
		24,500	—	16,700	—	16,200	—	—	—	—
	4.30	24,500	—	16,700	—	16,200	—	—	—	—
		26,000	—	—	—	—	17,600	17,300	17,600	17,300
4.88	30,000 <sup>2</sup>	—	—	—	—	21,600	21,300	—	—	
	35,000 <sup>2</sup>	—	—	—	—	—	—	26,600	26,300	
	26,000	—	—	—	—	—	—	17,400	17,100	
	35,000 <sup>2</sup>	—	—	—	—	—	—	26,400	26,100	
<b>SuperCab</b>										
6.2L 2-valve Gas V8 FFV	3.73	19,000	12,100	—	11,700	—	—	—	—	—
	4.30	19,500	—	12,000	—	11,600	—	—	—	—
6.8L 3-valve Gas V10	4.88	22,000	15,100	—	14,700	—	—	—	—	—
		22,500	—	15,000	—	14,600	—	—	—	—
6.7L Diesel V8	3.73	26,000	—	—	—	—	17,900	17,600	17,900	17,600
	4.10	23,500	15,700	—	15,200	—	—	—	—	—
		24,500	—	16,300	—	15,800	—	—	—	—
	4.30	24,500	—	16,300	—	15,800	—	—	—	—
		26,000	—	—	—	—	17,100	16,700	17,100	16,700
4.88	30,000 <sup>2</sup>	—	—	—	—	21,100	20,700	—	—	
	35,000 <sup>2</sup>	—	—	—	—	—	—	26,100	25,700	
	26,000	—	—	—	—	—	—	16,900	16,600	
	35,000 <sup>2</sup>	—	—	—	—	—	—	25,900	25,600	
<b>Crew Cab</b>										
6.2L 2-valve Gas V8 FFV	3.73	19,000	11,900	—	11,400	—	—	—	—	—
	4.30	19,500	—	11,800	—	11,400	—	—	—	—
6.8L 3-valve Gas V10	4.88	22,000	14,900	—	14,300	—	—	—	—	—
		22,500	—	14,800	—	14,400	—	—	—	—
6.7L Diesel V8	3.73	26,000	—	—	—	—	17,700	17,300	17,700	17,300
	4.10	23,500	15,300	—	14,900	—	—	—	—	—
		24,500	—	16,100	—	15,600	—	—	—	—
	4.30	24,500	—	16,100	—	15,600	—	—	—	—
		26,000	—	—	—	—	16,900	16,500	16,900	16,500
4.88	30,000 <sup>2</sup>	—	—	—	—	20,900	20,500	—	—	
	35,000 <sup>2</sup>	—	—	—	—	—	—	25,900	25,500	
	26,000	—	—	—	—	—	—	16,700	16,400	
	35,000 <sup>2</sup>	—	—	—	—	—	—	25,700	25,400	

<sup>1</sup>F-350 DRW/F-450/F-550 weights shown are for 141" wheelbase Regular Cab or 176" wheelbase Crew Cab models. For 165," 189," 200" and 201" wheelbase models, weights may be somewhat less (usually not more than 200 lbs., or 400 lbs. with 201" wheelbase). <sup>2</sup>Requires optional High-Capacity Trailer Tow Package. **5th-Wheel Towing Notes:** Trailer weights shown assume 1,000 lbs. second-unit body weight. Be sure combined weight of vehicle and trailer does not exceed listed GCWR. Trailer kingpin weight should be 15-25% of total loaded trailer weight. Make sure that the vehicle payload (reduced by option weight) will accommodate trailer kingpin weight and the weight of passengers and cargo added to the towing vehicle. The addition of trailer kingpin weight, and the weight of passengers and cargo, cannot cause vehicle weights to exceed the rear GAWR (Gross Axle Weight Rating) or GVWR (Gross Vehicle Weight Rating). These ratings can be found on the vehicle's Safety Compliance Certification Label. See your Ford Dealer for conventional trailer weights.

## DIMENSIONS & WEIGHTS

	Regular Cab											
	F-350 SRW 4x2/4x4	F-350 DRW <sup>3</sup> 4x2/4x4	F-350 DRW <sup>3</sup> 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase	140.8"	140.8"	164.8"	140.8"	164.8"	188.8"	200.8"	140.8"	164.8"	188.8"	200.8"	
Cab-to-axle	60"	60"	84"	60"	84"	108"	120"	60"	84"	108"	120"	
<b>Exterior</b>												
Height												
Top of cab to ground	76.9"/79.9"	77.3"/80.3"	77.3"/80.3"	80.3"/80.4"	80.4"	80.6"/80.4"	80.6"/80.5"	80.4"/80.5"	80.7"/80.5"	80.7"	80.9"/80.7"	
Top of frame to ground	32.0"/34.2"	32.6"/34.7"	32.3"/34.2"	33.2"/33.4"	33.0"	32.8"/32.9"	32.8"	33.7"/33.8"	33.4"	33.3"/33.2"	33.2"	
Width between frame rails	34.1"	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"	34.2"	34.2"	34.2"	34.2"	
Axle clearance	8.6"	8.2"/8.1"	8.2"	8.1"/8.0"	8.1"	8.1"/8.0"	8.1"	8.4"	8.4"	8.4"	8.4"	
Front track	68.3"	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"	74.8"	74.8"	74.8"	74.8"	
Rear tire outside width	79.6"	92.2"	92.2"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	93.9"	
Overall length	226.5"	226.5"	250.5"	226.5"	250.5"	274.5"	286.5"	226.5"	250.5"	274.5"	286.5"	
<b>Interior (front/rear)</b>												
Head room	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	40.7"/—	
Shoulder room	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	68.0"/—	
Hip room	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	67.6"/—	
Leg room	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	41.1"/—	
<b>Weights (lbs.)</b>												
Max. GVWR <sup>4</sup>	11,000/11,100	14,000	14,000	16,500	16,500	16,500	16,500	19,500	19,500	19,500	19,500	
Max. payload <sup>4</sup>	4,723/4,175	7,879/7,548	7,879/7,447	9,951/9,658	9,821/9,502	9,581/9,230	9,492/9,195	12,306/11,980	12,666/12,328	12,477/12,157	12,416/12,056	

Note: Load rating represents maximum allowable weight of people, cargo and body equipment and is reduced by the weight of optional equipment.  
SRW = single rear wheel DRW = dual rear wheel

<sup>3</sup>Ambulance Prep Package F-350 DRW: tire front track is 74.1"; rear tire outside width is 95.2." <sup>4</sup>When properly equipped.



# TECHNICAL SPECIFICATIONS

## MECHANICAL

<b>Front Suspension</b>	
Type	Twin-I-Beam (F-350 4x2); solid Twin-Coil Monobeam axle (F-350 4x4, F-450/F-550)
Axle (rating @ ground)	5,250 lbs. (F-350 4x2); 6,000 lbs. (F-350 4x4); 7,000 lbs. (F-450/F-550)
Springs	Coil
Shock absorbers	1.38" gas type
Stabilizer bar	Standard
<b>Rear Suspension</b>	
Type	Solid axle
Axle (rating @ ground)	7,280 lbs. (F-350 SRW); 9,750 lbs. (F-350 DRW); 13,660 lbs. (F-450/F-550)
Springs	Leaf
Shock absorbers	1.38" gas type
Stabilizer bar	Standard
<b>Steering</b>	
Type	Parallel linkage (F-350 4x2); cross-tie linkage (4x4 and F-450/F-550 4x2)
Assist	Power
Overall ratio	20.49:1 (F-350 4x2); 20.41:1 (F-350 4x4); 17.8:1 average (F-450/F-550)
<b>Brakes</b>	
Type	4-wheel vented-disc ABS (standard)
Front	
Rotor diameter	14.29" (F-350); 14.53" (F-450/F-550)
Lining area (sq. in.)	59.7 (F-350); 55.6 (F-450/F-550)
Rear	
Rotor diameter	14.29" (F-350); 15.35" (F-450/F-550)
Lining area (sq. in.)	45.8 (F-350); 55.6 (F-450/F-550)
<b>Wheels</b>	
Type	Steel (standard); aluminum (optional)
Size	17" SRW/DRW, 18" SRW (F-350); 19.5" (F-450/F-550)
Number of studs	8 (F-350); 10 (F-450/F-550)
Bolt-circle diameter	6.69" (F-350 SRW); 7.87" (F-350 DRW); 8.85" (F-450/F-550)

## POWERTRAINS

	<b>6.7L V8 Turbo Diesel</b>	<b>6.2L 2-Valve Gas V8 FFV<sup>1</sup></b>	<b>6.8L 3-Valve Gas V10</b>
Configuration	OHV (32-valve)	SOHC	SOHC
Fuel injection	High-pressure common-rail	Sequential electronic	Sequential electronic
Engine control system	Electronic	Electronic	Electronic
Induction system	Single-sequential turbocharger with charged air cooler	Specially tuned	Specially tuned
Battery	Dual 12-volt; 750-CCA/78-amp-hr	12-volt; 650-CCA/72-amp-hr	12-volt; 750-CCA/78-amp-hr
Alternator	200-amp (dual combined 357-amp, optional)	157-amp	175-amp
Cooling system	Pressurized series flow	Pressurized series flow	Pressurized series flow
Oil-life monitor	Intelligent Oil-Life Monitor™	Oil-minder system	Oil-minder system
Cylinders	8	8	10
Cylinder head	Aluminum	Aluminum	Aluminum
Block material	Compacted graphite iron	Cast iron	Cast iron
Valve operation	Push rod/rocker arms	Roller-rocker shafts	Hydraulic roller
Camshaft drive	Gear	Silent chain	Silent chain
Bore	3.90"	4.02"	3.55"
Stroke	4.25"	3.74"	4.17"
Compression ratio	16.2:1	9.8:1	9.2:1
Horsepower @ rpm	300 @ 2,800	385 @ 5,500 <sup>2</sup> /316 @ 4,179 <sup>3</sup>	362 @ 4,750
Torque lb.-ft. @ rpm	660 @ 1,600	405 @ 4,500 <sup>2</sup> /397 @ 4,179 <sup>3</sup>	457 @ 3,250
Recommended fuel	Ultra-Low-Sulfur Diesel or B20 (containing 20% or less biodiesel)	Regular unleaded or E85	Regular unleaded

<sup>1</sup>Certified to SAE J1349. <sup>2</sup>10,000 lbs. GVWR and under. <sup>3</sup>10,001 lbs. GVWR and over.

## TRANSMISSION

Type	6-speed TorqShift® automatic with SelectShift (6.7L diesel, 6.2L gas)		5-speed TorqShift automatic (6.8L gas V10)
Case material	Aluminum		Aluminum
PTO	Live-drive access on driver side (diesel only)		Access on driver side
Gear ratios	1st	3.97:1	3.11:1
	2nd	2.31:1	2.20:1
	3rd	1.51:1	1.55:1
	4th	1.14:1	1.00:1
	5th	0.85:1	0.71:1
	6th	0.67:1	—
	Reverse	3.12:1	2.88:1

## DIMENSIONS & WEIGHTS

	SuperCab					Crew Cab						
	F-350 SRW 4x2/4x4	F-350 DRW <sup>4</sup> 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-350 SRW 4x2/4x4	F-350 DRW <sup>4</sup> 4x2/4x4	F-450 DRW 4x2/4x4	F-450 DRW 4x2/4x4	F-550 DRW 4x2/4x4	F-550 DRW 4x2/4x4
Wheelbase	161.8"	161.8"	161.8"	185.8"	161.8"	185.8"	176.2"	176.2"	176.2"	200.2"	176.2"	200.2"
Cab-to-axle	60"	60"	60"	84"	60"	84"	60"	60"	60"	84"	60"	84"
<b>Exterior</b>												
Height												
Top of cab to ground	76.7"/79.7"	77.0"/80.1"	80.3"	80.4"	80.4"	80.5"	77.7"/80.5"	78.0"/80.8"	80.6"	80.6"	80.8"	80.9"/80.8"
Top of frame to ground	31.7"/33.5"	32.2"/34.1"	32.9"/32.8"	32.8"/32.7"	33.4"/33.3"	33.3"/33.2"	31.4"/33.3"	32.1"/34.0"	32.9"/32.8"	32.8"/32.7"	33.3"	33.2"
Width between frame rails	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"	34.1"	34.1"	34.2"	34.2"	34.2"	34.2"
Axle clearance	8.6"	8.2"	8.0"	8.0"	8.4"	8.4"	8.6"	8.2"	8.0"	8.0"	8.4"	8.4"
Front track	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"	68.3"	68.3"	74.8"	74.8"	74.8"	74.8"
Rear tire outside width	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"	79.6"	92.2"	93.9"	93.9"	93.9"	93.9"
Overall length	247.5"	247.5"	247.5"	271.5"	247.5"	271.5"	261.9"	261.9"	261.9"	285.9"	261.9"	285.9"
<b>Interior (front/rear)</b>												
Head room	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/38.1"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"	40.7"/40.8"
Shoulder room	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"/68.1"	68.0"	68.0"	68.0"	68.0"	68.0"	68.0"
Hip room	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"/67.3"	67.6"	67.6"	67.6"	67.6"	67.6"	67.6"
Leg room	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/31.6"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"	41.1"/42.1"
<b>Weights (lbs.)</b>												
Max. GVWR <sup>5</sup>	11,500	14,000	16,500	16,500	19,500	19,500	11,500	14,000	16,500	16,500	19,500	19,500
Max. payload <sup>5</sup>	4,778/4,329	7,625/7,133	9,529/9,201	9,275/8,998	12,388/12,019	12,220/11,931	4,493/4,055	7,365/6,936	9,329/8,982	9,201/8,851	12,254/11,805	12,019/11,696

Note: Load rating represents maximum allowable weight of people, cargo and body equipment and is reduced by the weight of optional equipment. SRW = single rear wheel DRW = dual rear wheel

<sup>4</sup>Ambulance Prep Package F-350 DRW: tire front track is 74.1"; rear tire outside width is 95.2." <sup>5</sup>When properly equipped.

2013 SUPER DUTY®  
CHASSIS CAB  
ford.com





# QUALITY, GREEN, SAFE AND SMART.

[ford.com](http://ford.com)

**New Vehicle Limited Warranty.** We want your Ford F-Series Super Duty® Chassis Cab ownership experience to be the best it can be. Under this warranty, your new vehicle comes with 3-year/36,000-mile bumper-to-bumper coverage, 5-year/60,000-mile Powertrain Warranty coverage, 5-year/60,000-mile safety restraint coverage, and 5-year/unlimited-mile corrosion (perforation) coverage – all with no deductible. The Ford 6.7L Power Stroke® diesel engine gets 5-year/100,000-mile warranty coverage. Please ask your Ford Dealer for a copy of this limited warranty. □ **Roadside Assistance.** Covers your vehicle for 5 years or 60,000 miles, so you have the security of knowing that help may be only a phone call away should you run out of fuel, lock yourself out of the vehicle or need towing. Your Ford Dealer can provide complete details on all of these advantages. □ **Ford Credit.** Get the ride you want. Whether you plan to lease or finance, you'll find the choices that are right for you at Ford Credit. Ask your Ford Dealer for details or check us out at [fordcredit.com](http://fordcredit.com). □ **Ford Extended Service Plan.** For a purchase or lease, the Ford Extended Service Plan (ESP) gives you "Peace-of-Mind" protection designed to cover key vehicle components and protect you from the cost of unexpected repairs. Ask your dealer for a Ford ESP, the only service contract backed exclusively by Ford and honored at all Ford dealerships. □ **Insurance Services.** Get Ford Motor Company quality in your auto insurance. Our program offers industry-leading benefits and competitive rates. Call 1-877-367-3847, or visit us at [fordvip.com](http://fordvip.com) for a no-obligation quote. Insurance offered by American Road Services Company (in CA, American Road Insurance Agency), a licensed agency and subsidiary of Ford Motor Company. □ **Genuine Ford Accessories** will be warranted for whichever provides you the greatest benefit: 12 months or 12,000 miles (whichever occurs first), or the remainder of your Bumper-to-Bumper 3-year/36,000-mile New Vehicle Limited Warranty. Ford Licensed Accessories (FLA) are warranted by the accessory manufacturer's warranty. FLA are fully designed and developed by the accessory manufacturer and have not been designed or tested to Ford Motor Company engineering requirements. Contact your Ford Dealer for details and/or a copy of all limited warranties.

Follow Ford:



[facebook.com/fordtrucks](http://facebook.com/fordtrucks)



[twitter.com/fordtrucks](http://twitter.com/fordtrucks)



[youtube.com/fordtrucks](http://youtube.com/fordtrucks)



[gplus.to/FordMotorCompany](http://gplus.to/FordMotorCompany)

